

**QUALITY | INNOVATION | SATISFACTION**



# **SUMMER SPECIAL** **2025**

**HAND TOOLS** | **OIL CHANGE** | **AUTO BODY** | **LIGHTING**  
**SPECIALTY TOOLS** | **LIFT EQUIPMENT** | **SHOP & GARAGE**



**PT**®  
**Performance Tool**

**PT** **POWER**

**Northwest**  
**Trail**

**ATAK**®



## 20V LI-ION 1/2" BRUSHLESS HAMMER DRILL

- Powerful BL4820 brushless motor delivers 708 in./lb. (80 Nm) of torque for the toughest jobs and outstanding runtime
- 1/2 in. Single-sleeve keyless metal chuck
- 2-speed all-metal transmission lets you choose between 0-450 RPM for high-torque driving or 0-2000 RPM for high-speed drilling depending on the application
- 21+2 Ratcheting clutch can adjust the driving torque to avoid stripping/breaking fasteners or use the drilling/impact modes to apply maximum torque
- Impact/Hammer drill mode delivers up to 30,000 IPM for fast drilling
- 20V 2.0 Ah Lithium-Ion battery, with power level indicator, and 1-hour quick charger
- CE, cETLus listed charger- 3159543



LED LIGHT & SPEED SETTINGS

**W7722\***  
Inner: 1 Master: 5

**NEW**

## 20V LI-ION 1/2" BRUSHLESS IMPACT WRENCH

- Powerful 20V brushless motor delivers up to 295 ft. lb. (400 Nm) of forward and 375 ft. lb. (508 Nm) of "nut busting" reverse torque
- Advanced electronic motor control provides 4-speed/torque settings
- Optional Auto-Stop function works in reverse to deliver full breakaway torque
- 20V 2.0 Ah Lithium-Ion battery, with power level indicator, and 1-hour quick charger
- Specifications: Drive: 1/2 in. Square drive w/friction ring, Motor: 20V 4815 Brushless, 4-Speed/Impact settings: 0-600/800, 1200/1600, 1800/2400, 2400/3200 RPM/IPM
- CE, cETLus listed - 3159543



LED LIGHT & SPEED SETTINGS

**W7720\***  
Inner: 1 Master: 5

## 4V LI-ION 2-IN-1 DRIVER/LIGHT

- This 4V Li-ion Cordless Screwdriver has a 2-position swivel handle for a pistol grip or straight in-line for tight spaces
- 1/4 in. Hex drive rapid change chuck features an adjustable 15+1 clutch to deliver the right amount of torque needed
- Tool can be charged from any USB outlet by plugging into the USB-C port at the base of the tool, eliminating the need to use a dedicated charger (cord included)
- 1/4 in. hex and 1/4 in. square drive, 2 in. long extensions are included
- Specifications: Battery: 4.0V 1.3 Ah Lithium-Ion, RPM: 210, Chuck: 1/4 in. Hex drive, Max. Torque: 40 in. lb. (4.5 Nm), Charging input: USB-C, Charging time: 1.5 hour



**W7730\***  
Inner: 1 Master: 20

DUAL POSITION

## 5 PC. 3/8" DR. SOCKET ADAPTER SET

- Dual purpose extension: 3/8 in. square drive adapter and 1/4 in. hex bit holder
- Transforms your power drill into a power nut/socket driver
- Free spinning collar allows you to maintain a positive grip while fastening
- Durable Cr-V construction with corrosion/oil resistant black phosphate finish
- Retaining ring collar ensures sockets are securely attached
- Contents: 8 in. (200 mm) and 2-1/2 in. (65 mm) adapters, 3/8 in. Dr. 6 pt. 10 mm socket, S1 and S2 1 in. (25 mm) x 1/4 in. (6 mm) hex driver bits



**W9033\***  
Inner: 12 Master: 48



## 33 PC. IMPACT TORSION BIT SET

- High strength S2 steel bits with torsion zone designed to increase life of the bits
- Set includes the most commonly found sizes and drive types



**W8661\***  
Inner: 12 Master: 72

Includes: Phillips: #0, #1, #2, #3; Slotted: 1/8, 5/32, 3/16, 1/4 in; Star: T8, T9, T10, T15, T20, T25, T27, T30, T40; Square: S1, S2, S3; Metric Hex: 2, 2.5, 3, 4, 5, 6 mm; SAE Hex: 5/64, 3/32, 7/64, 9/64, 1/8, 5/32 in; 2-1/2 in. (63 mm) Magnetic bit holder

## QUICK RELEASE BIT HOLDER

- Patented quick change bit mechanism is quick and easy to use
- One handed operation - press the bit into the holder to engage, then simply pull the collar back to eject the bit
- 1/4 inch hex fits most drills, drivers and bit drivers
- Magnetic insert bits in place and locking mechanism prevents pull out
- Use to quickly change between 1/4 inch hex drill bits, nutdrivers, driver bits and adapters
- 2-1/2 inch total length (63.5mm)



**W489\***  
Inner: 12 Master: 72

## 17" POWER TOOL STORAGE RACK

- The 5 levels of storage can easily fit 8 power tools, chargers, batteries, and accessories to help keep everything together for easy access
- The heavy 9-gauge steel frame and welded 5 mm thick wire loops will support up to 200 pounds of total storage
- The 4 pairs of mounting holes are 15.875 in. (39.5 cm) apart for mounting into wall studs
- 1/4 in. peg holes on the sides accommodate standard peg board hooks and accessories to expand storage options (hooks not included)
- Rack measures: 16.875 in. W x 8.75 in. D x 30.25 in. T. (42.8 x 22.2 x 76.8 cm); 6.875 in. (17.5 cm) between shelves, 3.3 in. (8.4 cm) above, and 9.5 in. between the two power tool bays

**W7704\***  
Inner: 1 Master: 3



STAY ORGANIZED



**200 lb.**  
LOAD CAPACITY

ASSEMBLE IN A STACKED OR SIDE BY SIDE CONFIGURATION



## 6 PC. 2-IN-1 SOCKET ADAPTER SET

- Dual-purpose adapters allow users to easily switch between sockets and hex bits without handling multiple power tools
- External adapters fit 1/4, 3/8, and 1/2 in. square drive sockets
- Internal adapters fit 1/4 and 5/16 in. hex nut or hex bit drivers and are built into the ends of the larger adapters
- 1/4 in. locking hex shank transforms your impact or power drill into a power socket, nut, or bit driver
- Internal adapters are magnetic to help hold nuts and driver bits securely
- Impact-grade chrome vanadium steel construction with rust-resistant black phosphate finish

**W2963\***

Inner: 12 Master: 72

Contents: (3) 2-1/2 in. (65 mm) long adapters; 3/8 in. Dr. 10 mm socket; S1 and S2 1 in. (25 mm) x 1/4 in. (6 mm) hex driver bits

**NEW**



## 2 PC. 4.5" VENTED FLAP DISC 40-GRIT ZIRC

- Type-29 zirconia alumina abrasive flap disc with a 5/8 in.-11 integrated center hub for use with corded and cordless angle grinders
- Premium 40-grit zirconium abrasive is a self-sharpening grain that lasts up to 5X longer
- Vent-enhanced plastic backer design helps to circulate air and reduce heat build-up to extend service life
- Designed to work best under high pressure, edge chamfering, beveling, weld blending, and polishing
- Maximum speed: 13,300 RPM; Optimal working speed range is 4000 - 6000 RPM

**VENTED DESIGN**

**UP TO 5X LONGER LIFE**



**W3061\***

Inner: 6 Master: 60

## 8 PC. MAGNETIC NUT DRIVER BIT SETS

- Powerful magnets hold fasteners in place providing one handed operation
- Rounded socket corners prevent stripping of fasteners by applying torque to the sides of the fastener
- 1/4 in. quick release hex shank, 6 in. total length (150 mm) and an insert depth of 1/8 in
- Magnetic nut driver bits are ideal for hard to reach fasteners
- Heat treated impact grade chrome vanadium steel for use in 1/4 in. drive impact wrenches, drills, and drivers
- Black phosphate coating provides maximum strength and corrosion resistance

**SAE - W9064\***

Inner: 6 Master: 24

Sizes: 1/4, 5/16, 11/32, 3/8, 7/16, 15/32, 1/2, and 9/16 in.

**METRIC - W9065\***

Inner: 6 Master: 24

Sizes: 7, 8, 9, 10, 11, 12, 13, and 14 mm



## 25 PC. RAPID CHANGE BIT SET

- The included quick change bit holder converts any drill into a rapid change bit driver and works with all brands of 1/4" hex shaft driver or drill bits
- All bits are made of hardened HSS (high speed steel) for superior performance and long service life

**W9050\***

Inner: 4 Master: 24



Included are 12 - 2" quick connect bits - (3) square: S1, S2, S3, (4) slotted: 6-8, 2x 8-10, 10-12, (5) Phillips: #1, 3x #2, #3; (3) Nut drivers: 1/4, 5/16 and 3/8", (2) 6" long bits: 8-10 slotted and #2 Phillips; (7) Titanium nitride coated HSS drill bits: 1/16, 3/32, 1/8, 5/32, 3/16, 7/32 and 1/4"

## 63 PC. TITANIUM DRILL BIT SET

- These titanium-nitride coated drill bits have a 118 degree cutting head and are made from #4241 High speed steel (HSS) which resist heat for durability
- 21 drill bits are sized from 1/16 to 3/8 in.: 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 11/64, 3/16, 13/64, 7/32, 15/64, 1/4, 17/64, 9/32, 19/64, 5/16, 21/64, 11/32, 23/64, 3/8 in
- Added are 41 extra bits of the 4 most popular sizes: (18) 1/16, (14) 1/8, (6) 3/16, (3) 1/4 in.



**SAE**

**W9013\***

Inner: 6 Master: 24



## 3 PC. 2-IN-1 SOCKET ADAPTER/ NUT DRIVER

- Dual-purpose extension nut drivers fit 1/4, 3/8, and 1/2 in. square drive sockets
- The 2 larger drivers have 1/4 and 5/16 in. magnetic hex nut drivers built-into the ends
- Retaining ring collar ensures sockets are securely attached
- Impact grade chrome vanadium steel with rust resistant black phosphate finish
- Each adapter extension is 2-1/2 in. (65 mm) in length

**NEW**



**2-IN-1 DESIGN**

**W2962\***

Inner: 25 Master: 100



## 15 PC. IMPACT BIT SET IN MINI CASE

- Color coded bands for easy identification of bit type
- Chrome vanadium construction with black phosphate finish
- Peg hook hanger tab can be pulled out for hanging or pushed flush into the case for compact storage



**NEW**



**HANDY CASE**

**Sold in INNER QTY.**



**W9220\***

Inner: 4 Master: 24

Contents: 2-3/8 in. (60 mm) Magnetic bit holder, (12) 1 in. (25 mm) bits: #1, #2, #3 Phillips; 1/8, 5/32, 3/16 in. Slotted; T10, T15, T20; Star; 1/8, 5/32, 3/16 in. Hex; (2) 2 in. (50 mm) bits: #2 Phillips, T25 Star.

## 24 PC. SAE & METRIC COMBO WRENCH SET

- Heat treated alloy steel
- Raised panel design
- Roll pouch for storage

**SAE & METRIC**

**W1074\***

Inner: 1 Master: 6





# VORTEX™

## Performance Tool®

### TIRE INFLATOR PROGRAM

More Details at [wilmarllc.com/vortex](http://wilmarllc.com/vortex)



SCAN FOR  
DETAILS

- Vortex tire inflators are equipped with an upgraded metal cylinders for faster heat dissipation, lower noise, and longer service life.
- Equipped with a 10 ft. (3 m) power cord and 18 in. (W7900) or 24 in. (W7901, W7902, W7903 & W7904) high-pressure braided air hose.
- Easy to use lever-locking air chuck is PMS tire sensor safe and includes 3 air adapters: sports ball needle, raft nozzle, and toy inflator.
- Built-in LED light turns on as soon as power is connected to verify connection and provide visibility.

#### ON-BOARD STORAGE


Keep your hose conveniently tucked away with a compartment for accessories.

Included: 3 pc. nozzle set & replacement 15A fuse

#### 12V RAFT & TIRE INFLATOR

- Our most versatile 12v inflator has a 2-motor design for use with high pressure tires or larger inflatables.
- Inflates a standard 195/65/R15 car tire from 25 to 35 PSI in about 90 seconds and a completely flat tire to 35 PSI in under 6 minutes.
- 15 in. high-volume air hose and 2 size adapters are useful for inflating/deflating larger rafts, balls, mattresses or toys.

MAX READING  
OF 100 PSI



HIGH VOLUME

W7903\*  
Inner: 1 Master: 20

#### AC/DC POWERED TIRE INFLATOR W/ AUTO-STOP

- This versatile tire inflator / compressor can use either 120V AC outlet power or the 12V accessory outlet in your car.
- Inflates a standard 195/65/R15 car tire from 25 to 35 PSI in about 45 seconds and completely flat tire to 35 PSI in under 5 min.
- Bright LED digital pressure gauge is easy to read, day or night, and switches between PSI, bar, and kg/cm2.
- The digital gauge will automatically shut off the inflator when it reaches the preset value.

DC/AC POWER

W7904\*  
Inner: 1 Master: 20



MAX READING  
OF 100 PSI

DIGITAL  
AUTO SHUT-OFF

#### 12V RAPID TIRE INFLATOR W/ LED LIGHT

- Inflates a standard 195/65/R15 car tire from 25 to 35 PSI in about 90 seconds and a completely flat tire to 35 PSI in under 6 minutes.
- Large, easy to read, pressure gauge



W7901\*  
Inner: 1 Master: 20

MAX READING  
OF 100 PSI



#### 12V DIGITAL TIRE INFLATOR W/AUTO-STOP

- Inflates a standard 195/65/R15 car tire from 25 to 35 PSI in about 90 seconds and a completely flat tire to 35 PSI in under 6 minutes.
- Bright LED digital pressure gauge is easy to read, day or night, and switches between PSI, bar, and kg/cm2 with a push of a button.
- The digital gauge will automatically shut off when it reaches the preset value.



W7902\*  
Inner: 1 Master: 20

MAX READING  
OF 100 PSI



DIGITAL  
AUTO SHUT-OFF

#### 12V COMPACT TIRE INFLATOR W/ LED LIGHT

- Inflates a standard 195/65/R15 car tire from 25 to 35 PSI in under 2 minutes and a completely flat tire to 35 PSI in 7 minutes.
- Large, easy to read, pressure gauge



W7900\*  
Inner: 1 Master: 20

MAX READING  
OF 60 PSI





## EMERGENCY ROADSIDE KITS

More Details at

[wilmarllc.com/vortex-roadside-kits](http://wilmarllc.com/vortex-roadside-kits)



**Tire**



**Battery**



**Safety**

### 22 PC. ESSENTIAL ROADSIDE ASSISTANCE KIT

**NEW**

- This roadside kit contains all the essential accessories for you to stay safe in an emergency
- Includes: 12V compact tire inflator, 10GA 8 ft. booster cables, 40 LM LED flashlight (AA battery included), snow/ice scraper, 10 in. (25 cm) cable ties, textured knit gloves, poncho, 3/4 in. (19 mm) x 24 ft. (7.2 m) electrical tape, snap-blade knife, 2-in-1 screwdriver, and 5-50 PSI pencil tire pressure gauge



**W7911\***  
Inner: 1 Master: 6

### 44 PC. PREMIUM ROADSIDE ASSISTANCE KIT

**NEW**

- This roadside kit contains all the essential accessories for you to stay safe in an emergency
- Includes: 12V digital tire inflator, 10GA 8 ft. booster cables, 10 ft. (3 m) 4,000 lb. (1818 kg) break strength tow rope, compact folding shovel, 7 pc. tire repair kit, (10) 10 in. (25 cm) cable ties, knit gloves, reflective vest, snow/ice scraper, 14 pc. FDA approved first aid kit, snap-blade knife, 2-in-1 screwdriver, 6 in. (150 mm) slip joint pliers, 5-50 PSI pencil tire pressure gauge



**W7913\***  
Inner: 1 Master: 4

### 33 PC. DELUXE ROADSIDE ASSISTANCE KIT

**NEW**

- This roadside kit contains all the essential accessories for you to stay safe in an emergency
- Includes: 12V rapid tire inflator, 10GA 8 ft. booster cables, 10 ft. (3 m) 4,000 lb. (1818 kg) break strength tow rope, 40 LM LED flashlight (battery included), 10 pc. nut-driver & socket set (9 metric sizes 5-13 mm) w/ driver, #2 Phillips and 1/4 in. slotted screwdrivers, 3/4 in. (19 mm) x 24 ft. (7.2 m) electrical, snap-blade knife, textured knit gloves, emergency poncho, 10 pc. cable ties, and emergency blanket



**W7912\***  
Inner: 1 Master: 4

### 22" 4-WAY LUG WRENCH


- Drop forged steel construction provides greater strength and durability
- Corrosion resistant black powder coated finish
- Star-shaped design for applying sufficient torque and includes four popular socket sizes
- Tapered socket ends fits SAE and metric lug nuts: 7/8 in. (22 mm), 15/16 in. (24 mm), 1 in. (25 mm), 1-1/16 in. (27 mm)



**W12\***  
Inner: 1 Master: 6

### REFLECTIVE TRIANGLE

- 14" x 12" orange and red reflective triangle
- Two 1/4" diameter mounting holes
- Great sign for farm vehicles, equipment, and a variety of obstructions to be seen from a far
- \*May not meet specific state or federal requirements to be used on roads or jobsites



**W1496\***  
Inner: 1 Master: 50

### 18" SOLID WOOD TIRE THUMPER - 10 OZ.

- Our 10 oz. (283 g) tire thumper to quickly check for tire pressure to help you stay safe on the road
- 18 in. (45.7 cm) Stained hardwood construction is durable and long-lasting
- Nylon wrist strap for carrying the tire thumper or hanging it for easy access



**HANDY WRIST LANYARD**

**W3069\***  
Inner: 1 Master: 40



# Restore™ AUTO BODY

**STAND OUT DESIGN  
ESSENTIAL TOOLS  
QUALITY PRODUCTS**

**NEW**

**DIY solution for vehicle  
body repair and care**



## BODY FILLER SCOOP

**NEW**

- For scooping body filler from gallon cans
- Helps prevent waste by scraping filler from inside edges of cans
- Easy to clean
- just bend and dried filler will pop off



**W60100\***  
Inner: 6 Master: 144

## 3-POSITION FILE HOLDER

- Quality file holder and 10" flat file blade for sharpening body filler to rough contour
- Use for forming body fillers, vinyl, plaster, filler, fiberglass, wood, and more
- Features an adjustable 3-position handle and an ultra-sharp flat file blade
- This file holder works with both the flat and half-round style file blades
- Includes: 1 Die cast file holder with gray enamel finish, 1 super sharp flat file blade



**NEW**



**ADJUSTABLE 3  
POSITION HANDLE**

**W60105\***  
Inner: 6 Master: 48

## 10" HALF ROUND FILE BLADE

- Fits most single and three position adjustable handles
- Blades may be used without holder for contoured surfaces

**W60107\***  
Inner: 6 Master: 240



**NEW**



## BODY FILLER MIXING BOARD

- Use for easy mixing of body filler and epoxy
- Ideal for automotive body, household, and marine repairs
- Mixing Boards provide a smooth, non-porous, impenetrable surface
- Easy clean 8 in. x 6 in. boards can be reused for convenience and cost savings

**NEW**



**W60104\***  
Inner: 24 Master: 144

## PICK & FINISHING HAMMER

- For knocking down high spots and finishing
- High carbon drop forged steel head
- Genuine hickory handle



**NEW**

**W60103\***  
Inner: 6 Master: 36

## 7 PC. AUTO BODY REPAIR KIT

- For pounding auto sheet metal before finishing
- Use on flat and curved surfaces
- Includes 3 hammers and dollys



**NEW**

**W60101\***  
Inner: 1 Master: 4



## FLEXIBLE SANDER

- The flexible design allows sanding on both flat and curved surfaces with ease
- Ideal for wet/dry sanding because of the rubber base and plastic grips
- Spring-loaded steel clamps are easy to use and securely hold the sandpaper
- Use with a variety of grit 3 in x 10-yard self-adhesive or standard backing sandpaper
- Uses a very common auto body paper size 3 in. x 11 in

**W60106\***  
Inner: 6 Master: 72

**FLEXIBLE  
DESIGN**



**NEW**







### COMPACT DENT PULLER

- One piece shaft/handle for strength
- 15 oz. slide hammer
- Contains 3 screw tips

**W60109\***  
Inner: 6 Master: 24

**NEW**



### 4-1/2" SUCTION CUP/DENT PULLER

- Durable high-impact nylon body
- Quick release handle
- Use to pull dents out of car bodies or lift plate glass
- 80 lb. capacity

**W60108\***  
Inner: 6 Master: 24

**NEW**



**80 lbs.**  
MAX LIFTING CAPACITY

### 10 IN. RANDOM ORBITAL BUFFER

**NEW**

- Random orbital action reduces risk of paint burn through and swirl free finish
- Large comfortable double handle for optimum control with less fatigue
- Polish cars, boats, granite counter tops and more
- Motor: 120V 60Hz, 0.92 AMP, 3000 RPM and no load speed, 17 in. 2-pronged power cord
- Includes 1 foam backing pad, 1 terry cloth bonnet and 1 synthetic wool bonnet
- Replacement bonnets - W60113
- cUL listed E242023



**120Volt**

**W60111\***  
Inner: 1 Master: 6

### 1" DETAIL SANDING KIT

- Measuring 1 x 3-1/2 in. (25 x 89 mm) long, this little sanding tool is a perfect fit for those hard-to-reach detail areas
- Comfortable curved handle is made of lightweight polyurethane foam and contoured with indents on the sides for fingers and thumb, for a better grip
- Sandpaper is made of premium silicon carbide which is durable, water-resistant, and perfect for both wet and dry sanding
- 10 sheets each of 400, 1000, and 1500 grit sandpaper with tear-resistant hook and loop backing

**W60115\***  
Inner: 12 Master: 96



### 3 PC. 10" POLISHING BONNET BUFFING PADS

- Make your car shine with this set of premium polishing bonnets for all 3 stages of the process; application, removal, and buffing/polishing
- White micro-fiber application bonnet with rubber backing to help prevent wax from bleeding through into the backing pad
- White terry cloth cotton pad for removing wax
- Tan synthetic buffing/polishing pad for the ultimate shine
- Universal fit for use with most 10-in. pneumatic or electric polishers
- Replacement bonnets for the Restore PT# W60111 - 10-in. Random Orbital Buffer/Polisher

**NEW**



**W60113\***  
Inner: 12 Master: 72

### CROSSBAR DENT PULLER KIT

- Use to repair dents and dings in steel body panels without paint or fillers
- A very economical, safe, and easy-to-use dent puller
- No more scheduling time to get the work done, or the costly body shop repair bills
- Will not scratch your car's painted finish or clear coat
- Includes a glue gun, with glue sticks, a crossbar with dent lifters, a dowel finishing tool, a bottle, and a plastic scraper for adhesive removal
- Glue gun temperature range from 190 to 210 deg. C (374 to 410 deg. F)



**NEW**



**120Volt**

**W60102\***  
Inner: 1 Master: 8



**ALL-IN-ONE PULLER KIT**

### 8 PK. HEAVY DUTY GLUE STICKS

- Fits standard 0.44 inch (11.2mm) hot glue guns
- 4 inches total length per stick
- Replacement for model W60102 Crossbar Dent Puller Kit

**W60114\***  
Inner: 6 Master: 48



**NEW**





## WINDSHIELD WIPER ARM REMOVER

- Designed to make removal of the wiper arms quick and easy without damage to the car finish
- Use it to pry up the arm from the splined shaft without damaging the assembly
- Keep from using the wrong tools or excessive force that could damage the arm or other components
- Use on wiper arms that have a small notch under the base, look to confirm it works on your vehicle
- Specifications: 7 in. (17.78 cm.) overall length

**WB3212\***

Inner: 6 Master: 144



## 8 PC. TRIM CLIP LIFTING TOOL SET

- Use to remove mounted door panel clips and plastic fenders on late-model vehicles
- Great for prying without breaking many types of plastic and metal fasteners
- Reduces damage to door panels and prevents you from losing clips
- Made of hardened steel with a high polish chrome finish, each with a unique angled forked tip
- Eight different offsets with a range of three different jaw spreads 5 mm (0.20 in.), 7.5 mm (0.30 in.), and 11 mm (0.43 in.)

**WB6568\***

Inner: 1 Master: 5

**NEW**

HANDY BLOW MOLD CASE



## MAGNETIC E-CLIP INSTALLING TOOL

- Use to install or replace E-Clips ranging from E9 to E13, and C style U-Joint clips
- A magnetic clip holder on an ergonomic handle with a pound through end cap
- The end of the tool can be stuck with a small hammer to help push clips into place
- Improved design allows better access options on difficult to reach clip grooves
- High strength go-through steel shaft design features a smooth striking face end cap
- Suitable for use with Performance Tool E Clip Assortment, Part No. W5208

**WB8000\***

Inner: 12 Master: 72

**NEW**



## CAMSHAFT GEAR HOLDING TOOL

- Use to lock the cam gears in place, retaining valve timing during belt replacement
- For single, dual or quad cam engines, also works well during diesel injection pump belt replacement
- Clamp between the engine block or head and the back of the gear to lock it in place
- No one likes the time and expense of retiming the engine, this cam lock is the perfect solution
- Universal design fits many engines, and installs in seconds without tools
- High impact plastic and steel construction provides years of repeated use

**WB0400\***

Inner: 12 Master: 36



## 4 PC. TRIM REMOVAL TOOL SET

**NEW**

- Non-marring trim tool set gently removes door panels, dashboards, bezels, and more
- Designed for universal use on automotive as well as, boats, RVs and industrial applications
- Features different wedge shapes allowing you to get under and lift pieces away without damage
- Perfect for professional mechanics and even beginners making modification or repairs
- Two different materials, a PVC composite for hard prying and a nylon composite for soft prying

**WB3301\***

Inner: 6 Master: 24

DUAL COMPOSITE



## WINDSHIELD LOCKING STRIP TOOL

- It is specifically designed for self-sealing two-piece rubber weather-stripping found on some vehicles
- This tool is used when replacing the windshield, rear glass, or sliding rear glass on vehicles
- The unique design allows the user to swivel the tip 90° in either direction to follow the window track
- Two double-ended tips provide four sizes to fit most applications, .632, .538, .449, and .293 in. (16 mm, 13.5 mm, 11.5 mm, and 7.5 mm)

**WB6566\***

Inner: 6 Master: 48

**NEW**



## PAINTLESS DENT REPAIR KIT

**C28500\***

Inner: 1 Master: 2

- Used to pull shallow dents from sheet metal body panels without the need to repaint
- Small dents or door dings no longer mean an expensive trip to the body shop
- Kit provides everything needed to restore the sheet metal
- Includes: Glue gun, glue sticks, a slide hammer and bridge puller, a spray bottle, and button remover



## GM HARMONIC BALANCER PULLER LS ENGINES

- Easily pull harmonic balancers without bolting into the balancer on many GM, and some Dodge vehicles
- Body and legs of the puller are chrome moly, forcing screw is high carbon steel
- Many balancers found on GM and Mopar vehicles do not have tapped holes making this puller essential
- Remove the balancer without removing the radiator for the extra clearance saving time and effort
- Applications: 5.3 L, 5.7 LS1, 6.0 LS2, 6.2 LS3, and 7.0 L GM vehicles; 3.5 L V6, 3.6 L V6, 4.7 L V8, 5.7 L V8, and 6.1 L V8 Chrysler, Jeep, and Dodge vehicles

**W161\***

Inner: 1 Master: 18



**NEW**



## PISTON RING PLIERS


- Removes or installs piston rings quickly, and easily without risk of breakage
- Supports around the entire piston ring preventing the ring from twisting and distorting
- Universal design, used on most vehicles with smaller to mid-size piston-driven engines
- High-quality alloy steel construction with molded plastic grips

**6 IN. - W80599\***

Inner: 5 Master: 50

**4 IN. - W80598\***

Inner: 5 Master: 50



UNIVERSAL  
DESIGN

**NEW**



## GM WATER PUMP SOCKET

- Specially designed for use on 1993 to current Northstar 4.6 Liter, 1997 to current Aurora 4.0 Liter
- 1/2" drive size
- Chrome molybdenum
- Instructions on packaging

**W89399\***

Inner: 6 Master: 24



## 2 PC. 5/16" LINE STOPPER SET

- Prevent fluid leaks when replacing or working on components that use fluid transfer lines
- Use to seal transmission cooler, brake, A/C, and fuel lines found on most vehicles
- The spring loaded design quickly and easily stops the flow of liquids on cars and other machinery
- Includes two stoppers to fit the 5/16 in. ID lines

**W83147\***

Inner: 24 Master: 96



## EXHAUST HANGER PLIERS

- Use to easily separate the rubber donut supports from the exhaust hanger bracket
- Works on all import and domestic car and truck exhaust systems using rubber donut supports
- Simply squeeze the plier handles, this forces the rubber support from the exhaust hanger
- Saves time and labor making a difficult job much easier

**NEW**

**W80687\***

Inner: 6 Master: 24



## RELAY REMOVAL PLIERS

- Special-designed pliers for removing electrical relays on most vehicles
- The handles offset and the thin tips allow access to relays in confined areas
- Allows relays to be pulled free from the socket without the chance of damage
- The versatile tool can also be used to pull fuses or stuck battery terminals
- Durable steel construction with anti-slip cushion grips for comfort and hand protection

**W80518\***

Inner: 6 Master: 48



**NEW**

OFFSET HANDLE  
DESIGN



## 10 PC. 3/8 IN. DR. FLARE NUT SOCKET SET

- Allows access to difficult wired temperature sensors, thermal switches and other components
- Can easily tighten or loosen nuts and bolts and is suitable for limited access spaces
- Use on sensors, ABS pipe, master cylinders, coolant, fuel injectors, and diesel inject sensors and lines
- Made of chrome vanadium steel with a black phosphorus finish to resist rusting and is 3/8 in. square drive
- Includes: 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm and 19 mm

**NEW**

METRIC

**W84027\***

Inner: 6 Master: 24



## HARMONIC BALANCER INSTALLER - LS ENGINES

- Used to aid in the replacement of the harmonic balancer on GM LS engines
- Suitable for all GM LT and LS Series Engines 1997-current Gen 3, 4, 5
- NOT Compatible with 1992-1997 Gen 2 LT1 5.7 Engines
- Made of high-quality carbon steel providing a long life and resistance to corrosion
- Use a 32 mm (1-1/4 in.) wrench to engage the bearing and force the balancer on

**NEW**



**W87026\***

Inner: 6 Master: 36



## HOSE REMOVAL PLIERS

- Pliers for removing fuel, vacuum, or heater hoses ranging from 5/32 in. to 1/2 in. (4 mm to 14 mm)
- Minimizes the risk of damaging hoses that are stuck or that have been secured by a hose clamp
- Designed to work in tight spaces when little room is available or in hard-to-reach areas
- A quicker and more effective way of removing hoses without prying or twisting
- Specifications: Jaw capacity 5/32 in. to 1/2 in. (4 mm to 14 mm), 8 in. (20.32 cm.) overall length

**W83209\***

Inner: 6 Master: 36



## 3 PC. DETENT BALL SPARK PLUG SOCKET SET

- Set includes 3/8 in. Dr. 14 mm, 16 mm, and 21 mm spark plug sockets
- Sockets feature a ball bearing detent retention system that grips the spark plug better than traditional rubber inserts
- The ball bearing detent retention system will not wear out and become loose like a traditional rubber insert
- Constructed of heat-treated chromium-vanadium alloy steel for strength and durability
- Polished nickel chrome plated finish resists corrosion

**NEW**



**W38174\***

Inner: 12 Master: 36



## SPARK PLUG ANALYZER

- The spark plug tester has dual test holes to help compare the spark strength of two plugs at once
- Adjustable RPM range from 500 to 6000 RPM
- The spark plug tester works with nearly all gasoline engine spark plugs
- Protective cover safeguards the users from accidental contact with live electrical components
- Helps diagnose a wide range of fuel and spark related issues

**W3003\***

Inner: 1 Master: 36

**NEW**

ADJUSTABLE FROM  
500 TO 6000 RPM



## HAND BRAKE TUBING BENDER

- Comfortable screwdriver style handle provides better grip and control while bending tubes
- Bends tubing up to 5/16 in. (8 mm) O.D.
- Works with copper tubing, brass tubing and brake lines
- Tubing bender can be vise mounted

**W80686\***

Inner: 12 Master: 96

**NEW**



## HANDHELD 3/16" DOUBLE FLARING TOOL

- Great for making double flares at the work bench or directly on the vehicle
- Makes 45 deg. SAE double flares on 3/16 in. (5mm) brake tubing
- Superior die lock system ensures flaring accuracy to complete brake line that don't leak
- Works on 3/16 in. (5 mm) aluminum, copper, nickel-copper, and thin wall steel tubing



**NEW**

**W80690\***

Inner: 6 Master: 36

## 18 PC. BRAKE CALIPER SOCKET SET

- Specialty brake caliper bits and sockets needed to service today's Domestic, Euro and Asian vehicles
- Complete coverage for most brake caliper applications in one convenient set
- Heat treated chrome vanadium, and chrome molly construction



HANDY BLOW  
MOLD CASE

**W86025\***

Inner: 1 Master: 10

## BRAKE ROTOR & TREAD DEPTH

- Use to measure both brake rotors and tread depth on most vehicles
- Accurately measure brake rotors thickness regardless if there is a wear lip on the outer edge
- Metric scale with 1mm graduations, measuring range 0 to 60mm
- Ideal for measuring tire tread depth by using the T-base and depth bar



**W80628\***

Inner: 24 Master: 240

## UNIVERSAL BRAKE FLUID TESTER

- Used to examine the quality of brake fluid by indicating the percentage of water in the fluid
- Suitable for DOT 3, DOT 4, and DOT 5.1 brake fluid
- Approved for AC Delco DOT 3, Pennzoil DOT 3, Prestone DOT 3, Motorcraft DOT 3, and Toyota DOT 3



**W182\***

Inner: 10 Master: 100

## 8 LUG TOYOTA AXLE NUT SOCKET

- Use for easy removal and installation of the 8 pin front locknut on newer Toyota and Lexus trucks and SUV's. 2WD
- For 2007-2014 Toyota 4Runner 2WD, 2008-2014 Sequoia and 2007-2014 Tundra



**W83005\***

Inner: 6 Master: 24

## WHEEL STUD INSTALLER SET

- Use to install new wheel studs, when they've been damaged, broken, or stripped
- The attached bearing reduces friction allowing the replacement stud to be easily pulled into the hub
- Prevent damage to the lug nut or the threads of a new wheel stud
- Included Sizes: 9/16 in. (14 mm) in diameter, 7/8 in. (22 mm) in diameter



**NEW**

**W83045\***

Inner: 12 Master: 48



## 38MM 12PT AXLE NUT SOCKET CRMO

- Heavy duty, drop forged premium chrome molybdenum steel construction
- Black phosphate coating provides corrosion protection ensuring a long life
- The 12-point socket is designed to fit both the 12-point and 6-point axle nuts



**NEW**

**W83176\***

Inner: 6 Master: 24

## MANUAL BUSHING INSTALLER & REMOVAL KIT

- Allows the technician or DIY to service bushings without removing the parts reducing the possibility of damaging the bearing or suspension housings
- Saves time and frustration when servicing wheel bearings, suspension bushing, and seal replacements
- Includes 20 cups and receivers, 4 Acme thread forcing screws, 4 end plates, and 1 shop press adapter
- Range: External sleeve diameter 44 mm (1.73 in.) to OD 90 mm (3.54 in.)
- Acme forcing screws: M10 X 1.5, M12 X 2.0, M14 X 2.0, M16 X 2.5 mm x 450 mm (17.72 in.) long



**NEW**

HANDY BLOW  
MOLD CASE

**W89301\***

Inner: 1 Master: 1



### 32" SWITCH TO STARTER CABLE

- 4-gauge cable transfers power from starter solenoid to start
- For 6 and 12-volt battery systems
- 32-inch long cable with steel plated connectors
- PVC insulation with heat-shrunk ends, 0.39-inch terminal stud hole
- Full gauge stranded Copper extends entire length of flattened lug, insures complete conductivity

**W16852\***

Inner: 10 Master: 60



### DIGITAL 12V BATTERY ANALYZER

- Portable, fast, and very simple to use battery starting and charging system analyzer
- Digital display indicates the condition of your battery and charging system
- Tests 12VDC systems, guiding you through the testing process
- Clear and easy to understand results to indicate systems condition
- Battery CCAs: 200-1200 Battery Types: LA, and AGM
- Voltage: 7-15VDC Testing Standards: SAE



**W2999\***

Inner: 8 Master: 48



### OIL FILTER WRENCH 2-1/4" TO 2-3/4"

- 2 1/4 in. to 2 3/4 in. (57mm to 69mm)
- Wide steel band for extra strength
- Vinyl grip handle
- Studded band for better grip
- Removes most spin on type filters

**NEW**

**W54123\***

Inner: 10 Master: 60



**SLIM PACKAGING DESIGN**

### OIL FILTER WRENCHES

- Swivel handle
- Vinyl grip handle
- Studded band for better grip
- Removes most spin on type filters



**SLIM PACKAGING DESIGN**

**4 TO 4-3/8 IN.**

**W54134\***

Inner: 8 Master: 32

**2-3/8 TO 2-5/8 IN.**

**W54147\***

Inner: 8 Master: 48

**3-1/2 TO 4-7/8 IN.**

**W54149\***

Inner: 8 Master: 48

**2-7/8 TO 3-1/4 IN.**

**W54148\***

Inner: 8 Master: 48



### 6GA 16' BATTERY JUMPER CABLES

- Heavy duty for full size trucks, vans and SUVs
- Red/black PVC-coated alligator clamps for easy identification
- Tangle-free rubber coated cables are highly flexible in cold weather conditions
- Jaws are designed for both side post and top post batteries
- 6 Gauge, 16 foot, 400 AMP/500 AMP peak
- All weather use
- 100% Copper cable provides unparalleled conductivity



**W1668\***

Inner: 1 Master: 6

**100%  
COPPER CABLES**



### OIL FILTER WRENCH 3" TO 3-3/4"

- 3 in. to 3 3/4 in. (76mm to 95.25mm)
- Vinyl grip handle
- Removes most spin on type filters

**W54133\***

Inner: 8 Master: 48



**NEW**

**SLIM PACKAGING DESIGN**

### OIL DRAIN PLUG REMOVER

- Remove the oil drain plug without losing the plug in hot oil
- Oil plugs can now be removed easily and without the mess of oil spills
- Say goodbye to oil soaked gloves or dropping the plug in the drain pan
- Just attach tool to a pre-loosened drain plug and rotate to remove
- US Patent Number D693201

**W54288\***

Inner: 12 Master: 72





# CLEAR FUNNEL Program

## HANDY HANG HOLE

For convenient storage

## INTEGRATED SPLASH GUARDS

## TRANSPARENT DESIGN

For easy monitoring of liquid



## CLEAR VIEW EASY-FILL FUNNEL 1 GALLON

- Contoured designed provides an easy-to-carry handle for holding and positioning
- Vented nozzle and wide opening enable filling at a high velocity
- Mesh filter prevents larger contaminants from entering your tank, radiator, or engine
- Approximate capacity: 3500ml, 3.7 Quarts, 0.92 gallons, 118.3 ounces

**W4051\***  
Inner: 1 Master: 72



## CLEAR VIEW EASY-FILL FUNNEL 1 QUART

- Large bowl area is designed to accommodate larger fluid bottles
- Oversized spout increases flow and fill rate
- Splash guard directs fluid where you want it, and reduces spillage
- Approximate capacity: 800ml, 1.7 Pints, 27 ounces



**W4057\***  
Inner: 1 Master: 48

## CLEAR VIEW EASY HOLD FUNNEL 2 PINT

- Unique design holds standard quart sized oil bottles while they drain allowing hands-free operation
- Spout features concentric ridges that secure the funnel in your engine's filler hole
- Accommodates nearly all shapes and sizes of 1-quart oil bottles
- Approximate capacity: 800ml, 1.7 Pints, 27 Ounces



**W4055\***  
Inner: 1 Master: 64

## CLEAR VIEW LONG REACH FUNNEL 1 PINT

- Upgraded design features thicker construction, extended vent channels, and positive handholds
- Splash resistant guard and extended length provide quicker, cleaner transfer of liquid
- Approximate capacity: 500ml, 1.1 pints, 16.9 ounces



**W4052\***  
Inner: 1 Master: 144

## CLEAR VIEW LONG REACH FUNNEL 1/2 PINT

- Great multi-purpose funnel for every day needs such as oil, coolant, gasoline, transmission fluid and more
- Splash guard directs fluid where you want it, and reduces spillage
- Approximate capacity: 200ml, 0.4 Pints, 6.8 Ounces



**W4054\***  
Inner: 12 Master: 168

## CLEAR VIEW EASY-FILL FUNNEL 1/2 PINT

- Specifically designed with a shallow spout for use with radiators, but can also be used for oil, gas, and other fluids
- Notched lip works as a bottle rest for easier pouring
- Wide mouth openings for quick, high velocity pouring
- Approximate capacity: 200ml, 0.4 Pints, 6.8 Ounces



**W4056\***  
Inner: 1 Master: 144

## 3 PC. CLEAR VIEW FUNNELS

- Features three distinct funnels for all your liquid filling needs: multi-purpose long reach funnel, Easy-Fill radiator funnel, and Jr. Jumbo Easy-Fill
- Having a different funnel for each liquid helps prevent cross contamination
- Integrated hang holes for convenient storage
- Approximate capacities: 200, 300, 800ml; 0.4, 0.6, 1.7 Pints; 6.8, 10.1, 27 ounces



**W4053\***  
Inner: 1 Master: 24



## FLEXIBLE FUNNEL SPOUT

- Easily add oil, coolant, or window cleaner from a gallon jug to any vehicle without mess or spills
- The double-threaded cap fits both gallon-size containers, standard (37mm) and wide mouth (50mm)
- Uniquely designed air bleed-off valve for faster and smoother fluid flow, up to five times faster
- A special rotary on-off switch helps effectively control the flow providing a positive shut-off
- The accordion-style spout is moldable and will hold its shape allowing for easier and more exact pours
- Patent Pending

**CARDED**  
**W4060\***

Inner: 6 Master: 36



**BULK**  
**W4065\***

Inner: 12 Master: 72



## CLEAR VIEW 7 QT. PLASTIC DRAIN PAN

- Transparent polypropylene construction allows quick and easy monitoring of liquid
- Molded handles and pour spout are easy to use
- Chemical and solvent resistant, won't rust or corrode
- Dimensions: 13-1/2 x 11 x 4 in. (343x 279 x 102 mm)
- Approximate capacity: 7 quarts, 1.75 gallons, 6.6 liters

**W4068\***

Inner: 1 Master: 12



**CLEAR**  
**VIEW**



## 11 QUART OIL DRAIN PAN

- Rectangular shape is designed to better collect oil and prevents messy spills without having to move the pan around
- High-capacity volume is large enough to hold up to two oil changes or 11 quarts of oil (10 L) or a complete radiator flush
- Made from durable, chemical-resistant plastic, this oil drain pan is built to last and perfect for your garage
- Convenient integrated oil filter stand allows you to drain the excess oil in filter without getting it messy



**W4079\***

Inner: 1 Master: 10



## OIL DRAIN CONTAINERS

- Heavy wall construction keeps container rigid, even when draining hot engine oil.
- Integrated handles for convenient carrying, pouring, and transport to recycling center.
- Deep drain well with angled sides minimize splashing and spilling during oil draining.
- High quality tethered plastic caps with rubber gaskets for a leak free seal.
- Made from durable polypropylene material.

### DEEP DRAIN WELL

Angled sides minimize splashing and spilling

### LARGER VENTING HOLE

5/8 in. opening, over 300% larger than competition

### INTEGRATED HANDLE


For convenient carrying, pouring, and transport

### HEAVY WALL CONSTRUCTION

Keeps container rigid, even when draining hot oil

### TETHERED PLASTIC CAPS

With rubber gaskets for a leak free seal



**VIDEO LINK**

Due to continuing improvements, actual product may differ slightly from photo shown.

## 16 QUART

- Heavy wall construction keeps container rigid, even when draining hot engine oil
- Integrated handle for convenient carrying, pouring, and transport to recycling center
- Deep drain well with angled sides minimize splashing and spilling during oil draining
- Integrated feet for multiple storage options
- High quality tethered plastic caps with rubber gaskets for a leak free seal
- Made from durable polypropylene material
- 16 Quart (15.14 L) capacity

**UPDATED DESIGN**



**10 QUART**  
**W4078\***

Inner: 1 Master: 2

**10**  
Quart  
Litre  
Cuarto



**24 QUART**  
**W4076\***

Inner: 1 Master: 6

**24**  
Quart  
Litre  
Cuarto



**16 QUART**  
**W4077\***

Inner: 1 Master: 4

**16**  
Quart  
Litre  
Cuarto



## OIL FILTER REMOVAL CUP

- Specially designed for removing oil filter to catch used engine oil
- Provides protection from heat and splashes associated with oil filter removal
- Safely holds oils, gasoline, diesel, and biofuels, any time a thread on filter is removed
- Speed up your oil change service, allows for faster filter change-outs

**W4085\***

Inner: 1 Master: 12



**NEW**


**6" Inside Diameter**  
(152.4 mm)

**MESS FREE**  
Helps avoid any spillage or contamination

**EXTRA GROMMET**  
For a long life

**ADAPTER INCLUDED**  
Fits 3/8 and 1/2 in. Dr. oil filter cap wrenches

**3/8**  
**1/2**



**HEAVY DUTY**  
Provides protection from heat and splashes

## 6 QT. STEEL GALVANIZED FUNNEL

- Use this large-capacity funnel for filling drive casings, hydraulics, and other shop equipment
- Heavy-duty construction with an offset outlet to access awkwardly placed filler openings
- Galvanized steel construction for weather-resistant year-round rugged use
- A grooved spout for air-venting, a 1-3/16 in. (3 cm) outlet I.D., with a removable strainer

**W54299\***  
Inner: 1 Master: 12



**OFFSET DESIGN**

## SPILL PROOF COOLANT FUNNEL KIT

- Easily used to properly refill automotive cooling systems without the chance of spilling
- Eliminates trapped air pockets which causes erratic cooling system and heater performance
- Better control when adding coolant preventing overflow onto belts and other engine components
- Includes threaded cap adapters for newer GM and Ford threaded style radiator openings
- Contents: 5-inch straight extension, two 2 1/4-inch 45 degree elbows, 5 cap adapters, 4 caps, stopper, funnel, and lid

**W89740\***  
Inner: 1 Master: 12



## 5 QUART OIL JUG W/ LID

- Oil jug is made from high-quality chemical resistant plastic
- Measurements are mark in quarts and liters
- Tight fitting lid and pour spout protect the fluid inside the cup from dust and other contamination
- Sturdy handle makes pouring safer and easier
- Flexible spout allows user to reach tight areas while pouring
- Capacity 5 quart, 4730 ml, 160 ounces

**W4046\***  
Inner: 1 Master: 16



**FLEXIBLE SPOUT**

**NEW**

## 2 PC. UNIVERSAL OIL FUNNEL

- Hands free funnel helps to prevent spillage
- Innovative clamp keeps funnel in position allowing the user to pour with both hands
- Transparent lower chamber shows oil flow
- Universal design fits most foreign and domestic vehicles
- Funnel dimensions 257mm deep x 127mm diameter




**W4069\***  
Inner: 1 Master: 6



## 360 DEG. SWIVEL & SEAL-OFF DISPENSER

- Seal Off Dispenser for Grease Plug Fittings
- 360 Degree Coupler is great for the Hard to Reach Fittings
- Combo Pack of Two Popular Grease Dispensers

**W54215\***  
Inner: 4 Master: 72



## 3.5 OZ. MULTI-PURPOSE GREASE

- Replacement OEM tube of MP2 Lithium based grease for PT W54235 - Precision Point Grease Gun
- Multi-purpose lithium based grease is designed for light duty applications which require extended lubrication
- Provides superior lubrication & durability in any weather and most temperatures
- National Lubricating Grease Institute (NLGI) #2 has smooth consistency, water resistant and is extremely stable

**W54236\***  
Inner: 12 Master: 72





## 8" RATCHETING ADJUSTABLE WRENCH

- Adjustable ratcheting design features an innovative sliding jaw piece that allows you to turn nuts and bolts without removing the wrench, making jobs faster, easier, and more accessible
- Precision-machined sliding jaw and worm gear allows for exact fastener fit and smooth action
- SAE graduations for accurate sizing
- Specifications: 8 in. (200 mm) overall length; 1 in. (25 mm) jaw capacity; 0.7 lbs. (0.32 kg) weight



**RATCHETING DESIGN**



**NEW**

**W30625\***  
Inner: 6 Master: 24



## 6-1/2" MULTIFUNCTION FLUSH CUTTING PLIERS

- Multifunction flush cutting and stripping pliers allow you to cut, strip, crimp, and shear for a range of electrical projects
- Hardened cutting edges cut wire up to 2 mm diameter (5/64 in.)
- Strip and cut 10-20 AWG solid wire
- Professional grade steel construction with handle lock
- Crimper for insulated and non-insulated connectors from 0.8-2.6 mm (1/32-7/64 in.)



**W86510\***  
Inner: 12 Master: 72



**2-IN-1 DESIGN**

## 4 PC. PLIERS SET

- Drop forged alloy steel construction
- Machined jaws for maximum gripping strength
- Ergonomic cushion grip handles for comfort and control
- Cutting pliers feature induction hardened cutting edges for durability
- Contents: 6 in. (150 mm) slip joint, 6 in. (150 mm) long nose, 6 in. (150 mm) diagonal, 7 in. (178 mm) linesman pliers

**W1783\***  
Inner: 6 Master: 24

**NEW**



## GO-THRU SCREWDRIVER SETS

- Color coded, ergonomic non-slip molded grips for improved comfort and control
- High strength go-thru shank design features smooth striking face end caps
- Heat-treated satin plated hexagonal shafts with black magnetic tips



**12 PC. - W1741\***  
Inner: 1 Master: 4

Sizes: 1/4" x 6", 3/8 x 6", 5/16 x 6" Slotted; #1 x 6", #2 x 6", #3 x 6" Phillips; T25 x 6", T27 x 6", T30 x 6" Star; S1 x 6", S2 x 6", S3 x 6".



**FEATURES STRIKING CAP**

**9 PC. - W1742\***  
Inner: 1 Master: 6

Sizes: 1/8 x 3 in., 1/4 x 6 in., 5/16 x 6 in., 3/8 x 6 in. Slotted; #0 x 3 in. #1 x 3 in., #2 x 6 in., #3 x 6 in. Phillips; T25 x 3 in. Star.



## 6 PC. SCREWDRIVER SET

- Alloy steel blades with chrome plated finish to resist rust and corrosion
- Comfortable fluted handles for positive grip
- Convenient storage/organizer rack
- Contents: 3/16 x 6 in. (150 mm), 1/4 x 4 in. (100 mm), 3/16 x 4 in. (100 mm) slotted; #2 x 4 in. (100 mm), #2 x 6 in. (150 mm), #1 x 3 in. (75 mm) Phillips



**W1785\***  
Inner: 4 Master: 24

**NEW**



## 1-3/8" RATCHETING PVC PIPE CUTTER

- Professional grade PVC pipe and soft tubing cutter is made of corrosion resistant aluminum and features ratcheting action for maximum cutting power
- Heavy duty SK5 steel cutting blade is 2.5 mm thick and features a non-slip coating for even smoother action
- Jaws accommodate plastic and rubber pipe and tubing up to 1-3/8 in. (36 mm) in diameter
- Indispensable tool for anyone working with PVC, CPVC, PP-R, PEX, PE, or rubber hoses, tubing, or pipe



**NEW**

**RATCHETING DESIGN**

**W82009\***  
Inner: 10 Master: 60



## 7 PC. TPE DIAMOND TIP SCREWDRIVER SET

- Diamond coated tips provide superior gripping power to resist slippage and allow for greater torque - 2X better grab than standard screwdrivers
- Triple injected handle features advanced thermoplastic elastomer material that boasts longer life
- Heat treated oil resistant black phosphate shafts are made of high-strength chrome vanadium steel and have magnetic tips
- Includes: stubby #2 x 1-1/2 in., #0 x 3 in., #1 x 3 in., #2 x 4 in. Phillips; 3/16 x 3 in. slotted; T25 x 4 in. Star; S2 x 4 in. square



**NEW**

**DIAMOND TIPS**  
**2X**  
MORE GRIP

**W1743\***  
Inner: 6 Master: 24





## 66 PC. SCREWDRIVER & BIT SET

- High torque reversible and locking ratcheting driver with ergonomic molded grip
- Full range of driver bits and nut drivers with sand blasted finish and organizing holders
- 8 in. (200 mm) rotating flexible extension is chrome plated to resist rust and corrosion is great for confined areas



**SAE & METRIC**

**W1784\***  
Inner: 6 Master: 24

## 6 PC. ALUMINUM PRECISION SCREWDRIVER SET

- Three slotted and three Phillips screwdrivers for general purpose applications
- Includes protective plastic case
- Features aluminum handles with rotating rear cap for extra control when using in precise locations
- Phillips bit sizes: #1, #0, #00
- Slotted bit sizes: 1/16, 5/64, 3/32 in. (2.0, 2.4, 3.0 mm)

**W80032\***  
Inner: 12 Master: 48



## LONG ARM KEY SETS

- Slip resistant textured powder coat finish improves grip
- Laser etched size markings for easy identification
- Includes handy folding organizer

**13 PC. STAR W80200\***  
Inner: 10 Master: 40

- Drilled tip allows for use on tamper resistant security fasteners
- Sizes included: T6, T7, T8, T9, T10, T15, T20, T25, T27, T30, T40, T45 and T50

**13 PC. SAE W80202\***  
Inner: 10 Master: 40

- Ball end on the long arm allows use at angles up to 25 deg
- SAE sizes: 3/64 in. 1/16 in. 5/64 in. 3/32 in. 7/64 in. 1/8 in. 9/64 in. 5/32 in. 3/16 in. 7/32 in. 1/4 in. 5/16 in. 3/8 in.

**9 PC. METRIC W80201\***  
Inner: 10 Master: 40

- Ball end on the long arm allows use at angles up to 25 deg
- Metric sizes: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm



## 9 PC. MASTER 10MM SOCKET & WRENCH SET

- Nine different versions of the most popular size socket/wrench on the market
- Features deep and shallow wall, universal, and impact sockets in assorted 1/4 in. and 3/8 in. drive sizes with a combination wrench
- Chrome vanadium alloy steel construction for strength and durability
- Rounded corners for a tighter grip and recessed edges that reduce fastener rounding
- Polished nickel chrome and black phosphate finishes resist corrosion



**NEW**

**COLOR CODED SOCKET RAIL**

**W39001\***  
Inner: 6 Master: 36

## 11 PC. WRENCH SETS

- Carbon steel construction with raised panel design
- Handy storage rack
- Nickel chrome plated finish
- Meets or exceeds ANSI standards

**METRIC - W1042\***  
Inner: 6 Master: 12

Metric sizes included 6, 7, 8, 9, 10, 11, 12, 13, 15, 17 and 19mm.

**SAE - W1043\***  
Inner: 6 Master: 12

SAE sizes included 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, and 3/4 in.



## 20 PC. MULTI-PURPOSE FLEXIBLE DRIVER SET

- Flexible screwdriver set offers a wide range of sizes for many applications at home or in the garage
- Flexible shaft allows user to reach areas not accessible to normal screwdrivers
- Set includes 12 power bits: Phillips #1, #2, #3, Slotted 7/32 in., 1/4 in., Tamper resistant Star TR8, TR10, TR15, TR20, TR25, TR27, TR30
- Set includes 6 sockets: 1/4 in., 5/16 in., 6 mm, 7 mm, 8 mm, and 10 mm
- Sockets made from high quality chrome vanadium steel
- Bits made from high quality S2 steel
- 1/4 in. Drive power bit adapter



**NEW**

**FLEXIBLE SHAFT**



**W1744\***  
Inner: 12 Master: 48

## 4 PC. TOOL SET

- 2-in-1 screwdriver 7-3/4 in. (19.7 cm) with Phillips #2 and Slotted 3/16 in. ends
- 10 ft. x 5/8 in. (3 M x 16 mm) SAE/metric tape measure with comfortable rubber boot
- 6-1/2 in. (16.5 cm) Snap blade utility knife
- 5 pc. Knife replacement blades in a storage case

**W5049\***  
Inner: 6 Master: 24

**NEW**

**SAE METRIC**

**Sold in INNER QTY.**





## 78 PC. RATCHETING DRIVER TOOL SET

- Versatile socket and bit driver and 1/4 in. drive ratchet with 70 bits and sockets in a variety of sizes and drive types
- 48 gear teeth 1/4 in. drive ratchet and 1/4 in. hex bit driver with comfortable cushion grip handles
- Accessories include: 2 in. (50 cm) x 1/4 in. drive extension, 2-1/4 in. (60 mm) magnetic bit holder, 2-1/4 in. (60 mm) precision bit extension, tweezers all in an innovative and space-saving case that features inner storage compartments



**W1745\***  
Inner: 3 Master: 12

**SAE**  
**METRIC**



**HANDY CASE**

**NEW**

## 5 PC. HAMMER SCREWDRIVER KIT

- Twisting force delivered by the screwdriver when struck with a hammer breaks frozen or rusted screws loose
- Can be set to impact left and right directions
- 5.85 in. (148 mm) bits help reach screws that conventional impact drivers may not be able to
- Bits included: Phillips bits #1, #2, Slotted bits 7/32 in., 1/4 in.
- Bits are made from tough S2 steel with an anodized finish



**W2505\***  
Inner: 12 Master: 48



## UNIVERSAL WRENCHES

- Time-saving design uses a spring-loaded jaw that automatically adjusts to standard and metric fasteners - no collar or wheel to adjust to the right size
- Quick and easy ratcheting action allows continuous operation without having to remove and reposition the wrench after each turn
- Precision ground serrated teeth deliver optimal gripping power
- Drop forged chrome vanadium construction with a rust-resistant poly coating
- Ergonomic TPR handle provides comfort and control

**8 IN. - W30797\***  
Inner: 6 Master: 60

Adjusts to standard and metric fasteners 3/8 - 1 in. (9 - 25 mm) in diameter.

**10 IN. - W30799\***  
Inner: 6 Master: 48

Adjusts to standard and metric fasteners 9/16 - 1-3/8 in. (15-35 mm) in diameter.

**12 IN. - W30798\***  
Inner: 6 Master: 36

Adjusts to standard and metric fasteners 3/4 - 1-11/16 in. (19 - 43 mm) in diameter.

**AUTOMATICALLY ADJUSTS TO SAE & METRIC FASTENERS**



**NEW**

## 8 PC. HAMMER AND PUNCH SET

- High quality and versatile hammer and punch set
- Includes: 10.5 oz. (297 g) machinist hammer, 2 cold chisels, 4 pin punches and 1 tapered punch
- Hex shanks for better grip and to ensure they do not roll away
- Carbon steel material with a black oxide finish to prevent rust and corrosion

**M7046\***  
Inner: 1 Master: 6



**NEW**

## 9 PC. HAMMER & PUNCH SET

- High quality and versatile hammer and punch set
- Includes: 10.5 oz. (297 g) machinist hammer, 13 oz. (368 g) nylon install hammer, 2 cold chisels, 4 pin punches and 1 tapered punch
- Hammer handles made of hickory
- Carbon steel material with a black oxide finish to prevent rust and corrosion

**M7047\***  
Inner: 1 Master: 6



**NEW**

## 16' HEAVY-DUTY TAPE MEASURE

- Rubber coated, high-impact ABS case provides a secure grip for one-handed use
- Auto-lock mechanism holds the tape measure blade firmly in place as it is extended for easy handling
- Nylon coated 1 inch wide, 0.14mm thick blade delivers over 8 feet of stand-out
- High accuracy, MID class-2 certified measurements printed in black/red on both sides of the yellow blade



**SAE**

**MET**

**W5053\***  
Inner: 12 Master: 36

## 4 PC. CLEAR TAPE MEASURE SET

- 4 pack of different length tapes: 12 ft. x 1/2 in. (purple), 16 ft. x 3/4 in. (green), 25 ft. x 1 in. (orange), and 33 ft. x 1 in. (yellow)
- Clear polycarbonate housing is lightweight and impact resistant with high-vis accent case colors
- Highly accurate SAE and Metric measurements
- Auto-retracting blade glides smoothly both in and out
- Easy to operate thumb lock secures blade tightly until it is released to retract the tape



**W5039\***  
Inner: 4 Master: 16

**SAE**

**MET**

## 42 PC. MASTER THREAD RESTORER KIT

- Contains commonly found automotive and household hardware sizes
- Taps and dies are Metric/SAE UNC and SAE UNF
- Made for restoring stripped threads on damaged/corroded nuts and bolts
- Hex sized taps and dies provide multiple tool options for turning the taps and dies
- Thread gauges make it easy to choose the correct sized tool



**SAE** **METRIC**

**W8660\***  
Inner: 10 Master: 20





## 16,000 LB. GVW VEHICLE RAMPS

- 16,000 lb. (7,272 kg) total gross vehicle weight capacity allows safe performance of repair and maintenance underneath your vehicle
- Patented stackable design utilizes reinforced channels to nest and save space while in storage
- Raised stop end provides added strength and stability
- Molded traction treads and gentle 17-degree incline provide easy loading even for low clearance vehicles
- Heavy duty polypropylene construction with slip-resistant rubber feet to resist sliding while loading


**W41014\***  
Inner: 1 Master: 1



**PATENTED  
STACKABLE  
DESIGN**



**NEW**



## 13,000 LB. GVW VEHICLE RAMPS

- 13,000 lb. (5,909 kg) total gross vehicle weight capacity allows safe performance of repair and maintenance underneath your vehicle
- Concave wheel rest surface and raised stop end provide added strength and stability
- Molded traction treads and gentle 17-degree incline provide easy loading even for low clearance vehicles
- Openings in the side and low end allow for easy carrying, positioning, and hanging ramps in storage



**CONCAVE  
WHEEL REST**

**3250 lb.  
CAPACITY**  
Per Ramp\*



**W41013\***  
Inner: 1 Master: 1

Specifications: maximum 3,250 lb. (1,477 kg) per ramp, 6,500 lb. (2,955 kg) per pair working load capacity; dimensions: 35-5/8 x 12-1/8 x 8-1/4 in. (90.5 x 30.8 x 21 cm); 6-1/4 in. (15.9 cm) maximum lift height

## 3 TON TROLLEY JACK & JACK STANDS

- Jack features 6,000 lb. (2.72 mt) capacity
- Lift Range 5-3/4 in. to 17-1/8 in. (14.61 cm to 43.22 cm)
- Heavy-duty steel lifting arm with swivel casters for easy positioning
- Stands feature ratchet style mechanism for easy adjustment, range 11-1/4 in. to 16-3/4 in. (28.58 cm to 42.55 cm)
- Meets or Exceeds ASME PASE-2019



**W1619\***  
Inner: 1 Master: 1



**6000 lb.  
CAPACITY**

## 2 TON TROLLEY JACK & STAND

- Jack features 4,000 lb. capacity, maximum height 13", swivel casters for easy positioning
- Heavy duty steel lifting arm
- Lightweight for fast positioning
- Great for cars and light duty trucks
- Tough enamel finish
- Jack stands feature ratchet style for easy adjustment, 10 3/8" to 16 3/8" range and 10 Lock safe settings

**W1605\***  
Inner: 1 Master: 1



**4000 lb.  
CAPACITY**

## 2 TON COMPACT TROLLEY JACK

- 4,000 lb capacity
- Maximum height 13"
- Swivel casters for easy positioning

**4000 lb.  
CAPACITY**



**W1606\***  
Inner: 1 Master: 1

## 2 TON FLOOR JACK

- 4,000 lb. capacity
- Maximum height 15"
- Swivel casters for easy positioning

**4000 lb.  
CAPACITY**



**W1614\***  
Inner: 1 Master: 1

## 2-1/2 TON GARAGE JACK

- A durable flanged steel frame powder coated and assembled with rust-resistant hardware
- Steel lifting saddle, cleated for better load stability
- Heavy-duty steel front wheels and ball-bearing swivel rear wheels provide easy positioning
- Convenient carry handle and only 28 lbs.
- Lift Range: 5-3/8 to 15-1/4 in
- Meets or exceeds ASME PALD-2005



**5000 lb.  
CAPACITY**



**W1640\***  
Inner: 1 Master: 1

## 2 TON JACK STANDS

- Constructed of heavy duty steel for strength and durability
- Large saddle surface area provides better contact
- Ratchet style for easy adjustments
- Lift Range: 10-3/8 to 16-3/8 in
- Load Capacity: 4,000 lb. (2,000 lb. capacity per jack stand)



**4000 lb.  
CAPACITY**



**W41021\***  
Inner: 1 Master: 2



### 3 TON RAPID LIFT LOW PROFILE FLOOR JACK

- Dual piston rapid lift, raises most vehicles with just 3-1/2 pumps
- The modern design is ideal for the extra-low-profile vehicles
- Steel lifting saddle cleated for better load stability and is removable to adapt to other lifting accessories
- 45-1/2 in. long handle with a foam sleeve to protect the vehicle's side panel from damage
- Lift Range: 3-1/4 to 20 in
- Meets or exceeds ASME PALD-2014



**W1626\***  
Inner: 1 Master: 1

**6000 lb.**  
CAPACITY



### 3-1/2 TON LOW PROFILE FLOOR JACK

- 3-5/8" to 20-1/2" Lift range
- Double-pump mechanism for quick lifting
- Rubber saddle pad included
- Meets or Exceeds ASME PASE-2019

**W1645\***  
Inner: 1 Master: 1



**7000 lb.**  
LOAD CAPACITY



### HYDRAULIC BOTTLE JACKS

- Heat treated critical stress areas ensure long life performance
- Steel lifting saddle cleated for better load stability
- Oversize cast iron base for extra durability but still easily portable
- Extension top screw adjusts to accommodate work height
- Meets or exceeds ASME PALD-2009



### 8 TON - W1628\*

Inner: 1 Master: 4  
Lift Range: 9 to 18 in.

### 12 TON - W1632\*

Inner: 1 Master: 4  
Lift Range: 9-1/4 to 18-1/2 in.

### 20 TON - W1633\*

Inner: 1 Master: 2  
Lift Range: 9-1/2 to 17-3/4 in.



### 2 TON SUV SCISSOR JACK

- Sturdy steel construction with a 4,000 lb. load capacity
- Includes a ratchet wrench for tight spaces and the standard speed wrench
- Lifting range is 3.9 in. to 17.3 in., (9.9cm to 43.9cm), perfect for the taller Sport Utility Vehicles
- 15 in. x 4.75 in., (38.1cm x 12.1cm), oversized base for added stability and support



**4000 lb.**  
CAPACITY



**W1622\***  
Inner: 1 Master: 6

### FOLDING TOOL CART

- Three shelf collapsible rolling cart features tough polypropylene trays, durable aluminum posts, and 3 in. (75 mm) swivel casters
- Innovative design quickly and easily folds up for compact portability and storage in spaces less than 8 inches in depth - Approximate folded size: 7.5 x 16 x 42 in. (19 x 40 x 107 cm)
- Maximum total load capacity of 200 lb. (90 kg.) distributed evenly
- Each shelf measures approximately 23 x 14.3 x 1 in. deep (58 x 36 x 2.5 cm)

**W53990\***  
Inner: 1 Master: 1



**200 lb.**  
LOAD CAPACITY



### TRANSMISSION ADAPTER

- Converts floor jacks into transmission jacks
- Fits all jacks with 1 5/32" removable saddle shaft
- Tilts forward and back and includes safety chain



**W41044\***  
Inner: 1 Master: 1



### 1 TON CAPACITY FOLDABLE SHOP CRANE

- 2,000 lb. capacity (909 kg) shop crane with fold-up legs for easy storage
- The long ram jack is equipped with a load-limiting safety valve preventing over lifting
- Maximum crane height adjusts from 75 in. to 84-3/8 in. (190.5 cm to 214 cm)
- Boom extends from 35-1/4 in. to 45-7/8 in. (89.34 cm to 116.5 cm)
- Base length 63 in. (160 cm) Base width 35 in. (89 cm)
- Engineered to comply with ASME-PASE 2019 industry standards



**W41049\***  
Inner: 1 Master: 1

**2000 lb.**  
CAPACITY

### 2-IN-1 ADJUSTABLE MOBILE TOOL TABLE

- Two-in-one rolling service table, with removable mobile tool tray
- Keep tools and parts close while under the hood making repairs or conducting diagnostic service
- The worktop can be removed and used under the vehicle as a rolling part and tool tray
- Includes 9 holes for screwdriver storage and a 15 pc. cut-out to hold sockets

**W85039\***  
Inner: 1 Master: 1



**130 lb.**  
LOAD CAPACITY



# FIREPOINT®

**S** SLEEK SERIES™

**X** X-TREME SERIES™

**W** WORK SERIES™

COMPACT



HIGH OUTPUT



NOVEL DESIGN



**NEW**

## 250LM LI-ION LIGHTED SAFETY GLASSES

- 250 lumen output with extra cushion for extreme comfort and venting
- Safety lens with anti-UV, anti-scratch, and ANSI approved impact resistance
- Detachable cushion insert allows for more cushion and comfort
- ABS and TPR construction provide more durability
- IP44 water resistance with detachable strap if needed
- High beam: 250 lumens output, Medium beam: 110 lumens output, Low beam: 24 lumens output
- Powered by 3.7V 500 mAh Li-Polymer rechargeable battery and USB-C charging cable included


**NEW**



250  
LUMENS

INTERCHANGEABLE  
HEAD STRAP

IP44 WATER  
RESISTANCE



ANTI-SCRATCH



250 LUMENS



NECK STRAP

**W2699\***  
Inner: 8 Master: 32

## 500+LM DUAL POWER LED HEADLAMP

- Produces a total output of over 500 lumens with combination spot and flood beams of light
- Comfortable and lightweight design with adjustable head strap and pivoting head
- Four operating modes: dual light, area light, spotlight, and 395-400 nm UV light (enter UV light mode by holding power button for 3 seconds)
- UV light great for fluid and glass leak detection, ID and document verification, currency detection and more
- Dual power source capability allows operation on the included Li-ion battery pack or regular dry cell batteries (sold separately)



90 DEGREE  
PIVOTING HEAD

550  
LUMENS

**NEW**



**W2621\***  
Inner: 6 Master: 24

## 650LM LI-ION FOLDING HEADLAMP

- Professional grade licensed COB (Chip-On-Board) Strip
- Rigid ABS frame with elastic strap for a comfortable fit
- Frame folds for easy storage
- Outputs: High beam 650 lumens, dimmable down to low beam 65 lumens
- Motion sensor mode for touch-free on/off
- Powered by built-in 3.7V 1500mAh Li-Polymer rechargeable battery
- USB-C charging cable included

**NEW**



650  
LUMENS

TOUCH-FREE  
ON/OFF

**SUPER BRIGHT**

**DIMMABLE**

**W2690\***  
Inner: 6 Master: 24

## 300LM LI-ION HEADLAMP W/DIMMER

- Professional grade lifetime Seoul LED with licensed COB (Chip-On-Board) Strip
- Variable output dial adjust light output from 30 to 300 lumens
- ABS frame with elastic strap for a comfortable fit
- High: 300 lumens, 1.5 hour runtime, beam distance 197 ft. (60 m); Low: 30 lumens, 5.5 hour runtime, 46 ft. (14 m) beam distance
- Powered by (1) 14500 500mAh Lithium Ion battery (included)
- USB-C Charging cord included
- IP42 water resistant rating



**NEW**

**W2692\***  
Inner: 8 Master: 32



**FIREPOINT**

300  
LUMENS

## 70LM HEADLAMP

- Professional grade licensed COB (Chip-On-Board) Strip
- Durable ABS frame with elastic band for comfort
- Powered by (1) AA battery included
- IP42 water resistant rating
- 70 lumens, 4.5 hour runtime, 60 ft. (20 m) beam distance

IP42 WATER  
RESISTANCE

70  
LUMENS



**W2691\***  
Inner: 8 Master: 32



**NEW**



## 1500+LM LI-ION UTILITY WORK LIGHT

- Wide angle LEDs produce over 1500 lumens and distribute a large flood beam of light
- 360° swivel base provides light in any direction and features magnetic base for hands free operation
- USB charging port allows unit to function as a power bank - 5V @ 1A input/output power, battery indicator, (2) integrated 2000 mAh 18650 li-ion batteries
- 2 output settings: 1515 lumens & 850 lumens
- IP54 rating & 1 m USB-C charging cable

**NEW**



1500  
LUMENS

HANDS FREE  
OPERATION



**W2635\***  
Inner: 6 Master: 24

## 400+ LM LI-ION SLIM POCKET LIGHT

- Compact, high performance work light produces 400+ lumens in boost mode
- High output Cree LED and crystal clear convex lens combine to produce a bright beam of focused light
- Anodized aluminum housing with pocket clip, high strength magnetic base, and keychain carabiner
- Includes 12 in. (30 cm) USB-C charging cable



**NEW**

400  
LUMENS

SUPER SLEEK  
DESIGN



**W2623\***  
Inner: 12 Master: 48

## 12000+LM LI-ION HD FLASHLIGHT

- FP-Max flashlights combine heat dissipating housing and multi-cluster LEDs to provide a huge flood of light and an intense spot light
- Aggressive anodized aluminum housing with compact design that fits comfortably in the palm of your hand
- IPX4 Water and impact resistance for rugged durability
- Safety power switch prevents accidental power on - double tap to turn light on
- Includes braided 8 in. (20 cm) USB-C charging cable

**W2633\***  
Inner: 4 Master: 36

**NEW**

IPX4 WATER  
RESISTANCE

12000  
LUMENS



Specifications: 12 x Cree XPG3 LEDs,  
12153 lumens on boost mode; 5108  
lumens on high; 2855 lumens on  
medium; 508 lumens on low; 68 lumens  
in energy-save mode; 3 integrated  
18650 2500mAh li-ion batteries

## 395NM UV LI-ION FLASHLIGHT

- FP-Max flashlights combine heat dissipating housing and a high power LED to provide a huge flood of light and an intense spot beam
- IPX4 Water and impact resistance for rugged durability
- Specifications: 395nm UV LED; 25 hour runtime; 2 hour charging time; 10850 3.7V 750mAh li-ion battery; 6.6 in. (168 mm) length; 0.7 in. (18 mm) diameter
- Includes braided 10 in. (25 cm) USB-C charging cable

**NEW**

IPX4 WATER  
RESISTANCE



**W2622\***  
Inner: 6 Master: 48



## 800+LM FLEX NECK LI-ION TASK LIGHT

- Three lights in one - handheld pocket light, flexible inspection light, and red emergency/night light
- High output area light produces 800+ lumens for lighting up your work area
- Built-in flexible neck inspection light features a 9 in. (23 cm) flexible neck and 120+ lumen lighted end
- Also features red LED strip lights that can be used in low light settings, or flash for emergency use
- Power bank function, pocket clip, magnetic back, and folding swivel hook provided added versatility



**NEW**

FLEXIBLE  
NECK

800  
LUMENS

SUPER BRIGHT

SWIVEL HOOK

**W2695\***  
Inner: 10 Master: 60



## 1000+LM LI-ION FOLDING UNDERHOOD LIGHT

- Flexible and versatile design allows compact operation as a dual sided area light or fully extend for use as an under hood work light
- High output SMD LEDs provide over 1000 lumens of bright white light
- Swiveling brackets on ends of work light feature magnets and a carabiner hook for hands-free operation
- Multiple operating modes allow use of either side of the work light or both at once
- Innovative folding design stands upright, hangs, or collapses for compact use and storage
- Includes a 1/4-20 thread insert for use with a tripod



SUPER BRIGHT

RECHARGEABLE

VERSATILE



**W2697\***  
Inner: 6 Master: 12

**NEW**

1000  
LUMENS

INNOVATIVE  
FOLDING DESIGN



## 750+LM LI-ION FLASHLIGHT

- FP-Max flashlights combine heat dissipating housing and high output LED to provide a huge flood of light and an intense spot beam
- Aggressive anodized aluminum housing with compact design that fits comfortably in the palm of your hand
- IPX4 Water and impact resistance for rugged durability
- Specifications: Cree XPG3 LED, 765 lumens on high, 350 lumens on medium; 56 lumens on low; replaceable 16340 700mAh li-ion battery
- Includes braided 8 in. (20 cm) USB-C charging cable

**W2624\***  
Inner: 6 Master: 48

**NEW**

750  
LUMENS

IPX4 WATER  
RESISTANCE





## HEAT SHRINK SOLDER CONNECTORS **NEW**

- Fast and easy, just a heat source is needed to melt the solder creating a secure connection
- Connectors use hot melt adhesive combined with shrink tubing to create a waterproof seal
- Use on cars, trucks, motorcycles, off-road vehicles, marine applications and much more
- Specifications: Shrinking ratio: 2:1, Working temperature 131-257° F (55-125° C)
- Shrinkage starts at 176° F (80° C), Solder dissolves at 280° F (138° C)

### 120 PC. W5290\*

Inner: 8 Master: 80

Includes: 30 pcs. White (AWG 26 - 24), 40 pcs. Red (AWG 22 - 18), 40 pcs. Blue (AWG 16 - 14) and 10 pcs. Yellow (AWG 12 - 10)



### 250 PC. W5291\*

Inner: 6 Master: 60

Includes: 40 pcs. White (AWG 26 - 24), 100 pcs. Red (AWG 22 - 18), 90 pcs. Blue (AWG 16 - 14) and 20 pcs. Yellow (AWG 12 - 10)



**HANDY CASE**

## 16 PC. DRAWER ORGANIZER LOCKING BIN SET

- 3 different sizes of interlocking bins can be used together or separately to help organize your toolbox, workbench, or desk drawers
- Bins are made of high-quality durable plastic which are break resistant and easy to clean
- Buy multiple sets, to mix and match, for larger organizational needs
- Bin included: 6 small, 6 medium, and 4 large

### W1570\*

Inner: 1 Master: 20



**STAY ORGANIZED**



Bin measurements: Small - 2.9 x 3 x 1.8 in. (7.5 x 7.5 x 4.8 cm), Medium - 9 x 3 x 1.8 in. (23.5 x 7.5 x 4.8 cm), Large - 9 x 6 x 1.8 in. (23.5 x 15.5 x 4.8 cm)

**NEW**

## 700W VARIABLE SPEED SHOP BLOWER

- Amazing blowing power in a compact, easy to handle size
- Variable speed feature allows you to select just the right amount of power
- Two piece nozzle can be used at 9 inches or 18 inches
- Comfortable handle with oversized lockable trigger
- Specs: 120 V AC, 60Hz, 700W, 5.8 AMPs, 17,000 max RPM, 90 MPH (145KPH) air speed, 100 CFM



### W50069\*

Inner: 1 Master: 4

**120Volt**



## WRAP AROUND FACE SHIELD

- Durable head and face protection for metal fabrication, wood working, landscaping, utilities and many other industries
- Oversized shield accommodates most glasses and respirators
- Cushioned headband with ratcheting knob in the back for easy one-handed adjustment
- Headgear mounting pegs fits all replacement shields using standard mounting hole patterns
- Visor measures 8 in. x 15-1/2 in. and meets CAN/CSA Z94.3 standards



**SAFETY ESSENTIAL**

### W10030\*

Inner: 1 Master: 20

## 3/4" X 30' BLACK ELECTRICAL TAPE

- General purpose electrical tape
- Suitable for use in all kinds of electrical and mechanical applications such as cable insulation, wire bundling, and reinforcing
- Suitable for use at no more than 600V and not more than 176°F (80°C)
- UL Listed



### W6085\*

Inner: 10 Master: 200

## 2 PC. STACKABLE STORAGE CASE

- Unique stackable storage bins connect to each other for maximum portability
- Lids' channels lock dividers in place keeping fasteners neatly organized without mixing contents
- Semi-transparent lid, comfortable carry handle, secure latches, and the ability to stack multiple cases
- Each of the two case has 18 separate bins for storage with removable dividers

### W5266\*

Inner: 3 Master: 12



**STACK PACKS**



**STAY ORGANIZED**

## DIY HOOK AND LOOP STRAP KIT

- Designed to be cut to any length for any application
- With this kit you are able to make up to 30 straps
- 26 ft. (7.92 m) of hook & loop strapping with 30 buckles
- Designed for cable management and other organizational needs
- 0.8 in. (20 mm) wide strap material

### W2949\*

Inner: 1 Master: 60



**CUT TO ANY LENGTH**

**NEW**

## 170 PC. U-CLIP FASTENER ASSORTMENT

- Used on door panels, trim, radiator shields, fenders, bumpers, license plates, splash shield, and more
- The u-clips are made of heat-treated black finished spring steel, the screws are made of zinc plated steel
- Reusable fastener that provides dependability and a long service life
- Assortment contains 5 of the most popular U-clips and screws

### W5285\*

Inner: 6 Master: 24

**NEW**

Includes: 3 x 8 mm - 20 pcs., 4 x 16 mm - 40 pcs. notched, 5 x 12 mm - 15 pcs. notched, 6 x 20 mm - 10 pcs. with matching screws in a handy storage case



**HANDY CASE**



## CORDLESS HOT GLUE GUN

- USB-C rechargeable cordless glue gun
- Heats up quickly in just 1-2 minutes
- Integrated flip out stand keeps glue gun flat and stable
- LED charge indicator/power indicator
- Includes 6 standard 7 mm (0.27 in.) mini glue sticks
- Glue gun will continuously run for 1 hour on a full charge
- GS/CE/EMC/ROHS certified
- Battery can be fully charged in 3 hours

**NEW**

**CORDLESS DESIGN**



**W2083\***  
Inner: 6 Master: 24



## 100' REFLECTIVE PARACORD TYPE-IV 800 LB.

- Type-IV paracord has many uses from camping to landscaping or securing a load
- 15+3-strand polyester/nylon core and 32 strand nylon sheath is abrasive, rot and mildew resistant
- Black/orange cord is enhanced with light reflective strands woven in to increase visibility at night
- Working Load Limit: 160 lb. (72.6 kg) / Break Strength: 800 lb. (249 kg)



**CARRYING HANDLE**

**W1996\***  
Inner: 12 Master: 24

## LATEX COATED UTILITY GLOVES

**NEW**

- Comfortable and breathable knit fabric in a one size fits all L/XL
- Textured latex palm and fingers for extreme grip
- Great flexibility and dexterity in lightweight design
- Material: 90% Polyester and 10% Latex coating

**W89025\***  
Inner: 6 Master: 48

**Sold in INNER QTY.**



## 3 PAIR LEATHER WORK GLOVES

- Reinforced palms and knuckles offer additional protection and comfort
- Durable yet soft split leather is flexible and comfortable for use in a variety of work environments
- Cotton lined backing allows for improved airflow and breathability
- Thick fabric on the fingers and palm provide added protection and excellent grip

**W89020\***  
Inner: 1 Master: 24



## USB-C CHARGING CABLE

- 2-in-1 design features removable tethered cover for plugging into a standard USB or USB-C port
- Universal compatibility supports all USB-C powered devices
- Tangle-free braided nylon cable is poly coated
- 60W Quick charging and data transfer up to 20V @ 3A
- USB 2.0 supports data transfer at up to 480Mbps and simultaneous charging
- 40 in. total length (1 m)

**W492\***  
Inner: 8 Master: 64



**Sold in INNER QTY.**

**USB & USB-C**



## 40" (1M) MICRO USB CABLE

- Universal compatibility, supports most Android-based tablets, cell phones, and similar devices
- Fast charge & sync for charging speed up to 2.4A
- Tangle-free, durable nylon braided cord
- 40 in. / 1M length
- US Patents D673370 and D685580



**Sold in INNER QTY.**

**W3318\***  
Inner: 16 Master: 128



## DUAL 12V USB/USB-C ADAPTER

- Charge two devices at the same time - one standard USB cord and one USB-C cord
- Keep your electronic devices charged while on the go
- Compatible with most USB charging devices and recharges most phones completely in 3-4 hours
- Specifications: 12-24V input, 36W total output: 3A @ 5V, 2A @ 9V, 1.5A @ 12V



**W493\***  
Inner: 8 Master: 64

**Sold in INNER QTY.**



**USB & USB-C**



## 120V USB CHARGER/ADAPTER

- Built-in features protect from over current and short circuit protection
- Delivers up to 1 AMP at 5 volts for most cell phones
- Specs: Rated input voltage: 100-240V AC, Input Current: 0.2A Max, Output: 5V @ 1000mA, 32-104° F (0-40° C) operating temperature
- US Patents D673370 and D685580



**Sold in INNER QTY.**

**120V OFF**

**W3319\***  
Inner: 12 Master: 96



## UNIVERSAL TOUCH SCREEN STYLUS

- Soft rubber tip material is designed to keep your screen clean
- Made of durable yet lightweight materials
- Suitable for most touch screen devices
- Convenient pocket clip
- US Patents D673370 and D685580



**Sold in INNER QTY.**

**W3317\***  
Inner: 18 Master: 144



## ANGLED BACK SCRATCHER

- Angled hand portion provides more direct contact in those hard to reach spots
- Includes magnet for picking up dropped nuts, bolts, staples and more
- Anti-swivel groove to stabilize and prevent turning
- Extends to over 20 inches



**Sold in INNER QTY.**

**W9204\***  
Inner: 9 Master: 54





## MABIRA CAMO POCKET KNIFE

**W9368\***

Inner: 12 Master: 96

- Assisted opening mechanism for quick and easy operation
- 3-1/4 inch stainless steel recurved blade
- 8 inch overall open length, 4-1/2 inch folded length
- Inline blade lock/release mechanism
- Hollow frame body with camo pattern
- Pocket clip

**SPRING  
ASSISTED**



## KYOGA POCKET KNIFE

**W9383\***

Inner: 6 Master: 48

- 2.8 in. (70mm) blade length, 6.7 in. (170mm) total length, 4 in. (100mm) closed length
- 3CR13 stainless steel tanto blade with black electrophoresis coating
- Nylon and fiberglass composite grip, with thumb hole, pocket clip, lanyard loop, and liner lock



## FLYWEIGHT POCKET KNIFE

**W9378\***

Inner: 12 Master: 96

- Ultra-lightweight, low profile design weighs only 1.7 ounces (48g)
- Finger flipper and thumb stud provide quick and easy opening
- Black, 3CR13 stainless steel drop point blade with inline blade lock
- Skeleton frame with comfortable hardwood handle and pocket clip
- 3 inch (8.0 cm) stainless steel straight edge blade; 7-1/4 inch (18.4 cm) overall open length; 4 inch (10.1 cm) folded length; blade HRC 55

**LOW PROFILE  
DESIGN**



## 200+LM LED PENLIGHT

- High output LEDs produce over 200 lumens
- Comfortable lightweight housing with textured grip
- Magnetic back and pocket clip for hands free use
- Includes 3AAA batteries
- Specifications: 221 lumens, 2 hr. runtime on high, 67 lumens, 15 hr. runtime on low

**W2319\***

Inner: 12 Master: 48

**200+  
LUMENS**



## 400+LM FIREPOINT X FLASHLIGHT

- Adjustable DuoFocus beam goes from spot to flood
- Super Bright Cree LED never needs replacing
- Anodized tactical aluminum housing
- Water and impact resistant
- Specifications: 407 lumens on high, 139 lumens on low, 2 hour runtime on high, 4 hour runtime on low
- Requires 2AA batteries (included)

**W2651\***

Inner: 6 Master: 24



**400+  
LUMENS**



## 400+LM LI-ION NECK LIGHT

- Features two individually controlled lighted ends for positioning light wherever you need it
- Flexible neck is 19-1/2 in. long (49.5 cm) and stays in whatever shape or configuration you place it in
- Each lighted end includes a focused spotlight LED and two multi-color temperature LEDs
- Dual power buttons independently control each spotlight and area light
- Specifications: 408 maximum lumen output, 3-hour runtime, 3-hour charging time, 4.7 oz. (162 g), 3.7V 650mAh battery, 40 in. USB-C cable (1 M)



**2 INDIVIDUALLY  
CONTROLLED  
LIGHTED ENDS**



**400+  
LUMENS**

**W2687\***  
Inner: 6 Master: 48

## 300+LM LI-ION COMPACT WORK LIGHT

- Features high output wide angle LEDs for a flood of light
- Rare earth magnet on back for hands free work
- Flip-up hook for added versatility
- Specifications: 320 Lumens, 3 hr run time, 1000mAh, 3.7V
- Built-in rechargeable lithium ion battery - includes micro USB charging cable

**COMPACT  
DESIGN**



**Sold in  
INNER QTY.**



**300+  
LUMENS**

**W2675\***  
Inner: 8 Master: 96



## 150+LM RUBBER GRIP LI-ION FLASHLIGHT

- Ergonomic wide handle design provides a more comfortable grip and prevents light from rolling away
- Rubberized head and grip are tactile and shock absorbent
- High output LED never needs replacing and creates a bright spot and broad flood of light
- Built-in 14500, 500mAh capacity lithium ion battery, and 3 in. (8 cm) USB-C charging cord included
- Specifications: 168 lumens and 1 hr. runtime on high, 98 lumens, 2-1/2 hr. runtime on low; 1-1/2 hr. charging time. 5 in. long (25 cm), 1-1/2 in. diameter (3.8 cm)



**150+  
LUMENS**



**W2431\***  
Inner: 10 Master: 40

## 2M CP SPOTLIGHT, BLACK

- Two million candle power spot light
- High power quartz halogen bulb
- Comfort grip with built-in hanging hook and tripod hole
- Includes both a car charger and household charger



**W2433\***  
Inner: 1 Master: 8

# Wilmar, LLC

P.O. Box 88259 Tukwila, WA 98138

e-mail: tools@wilmarllc.com

1-800-426-1262 USA & Canada

**\*⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov**

© Copyright 2025 Wilmar, LLC. This material is being furnished for the exclusive use of Wilmar LLC customers and may only be used in connection with the sale of Wilmar®, Performance Tool®, PT POWER®, airTIGHT™, Northwest Trail®, Project Pro®, Mechanics Products® and ATAK® brand merchandise. Any other use is strictly prohibited. Illustrations and photographs are intended for reference only. Actual products may vary. On occasion, after printing of our catalogs, flyers or other sales aids is completed, the manufacturers may make changes and/or modifications to merchandise which will not be reflected in this literature. Accordingly, when ordering, please inquire of our sales representative as to any such changes or modifications which have been made following publication. Wilmar is not responsible for typographical, grammatical, numerical or hyphenation errors.